L Number	Hits	Search Text	DB	Time stamp
1	426	710/5,6,33,34,29,52,54,57.ccls. and pipelin\$3	USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:55
2	153	(710/5,6,33,34,29,52,54,57.ccls. and pipelin\$3) and (count\$3 near5 (fifo buffer queue cue memory))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:43
3	23	((710/5,6,33,34,29,52,54,57.ccls. and pipelin\$3) and (count\$3 near5 (fifo buffer queue cue memory))) and ((available free used)near10 pipeline)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:44
8	1815	711/167-169.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:43
9	417	711/167-169.ccls. and (count\$3 near5 (fifo buffer queue cue memory))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:43
10	426	(710/5,6,33,34,29,52,54,57.ccls. and pipelin\$3) and pipelin\$3	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:43
11	426	((710/5,6,33,34,29,52,54,57.ccls. and pipelin\$3) and pipelin\$3	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23
12	168	(711/167-169.ccls. and (count\$3 near5 (fifo buffer queue cue memory))) and pipelin\$3	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23
13	55	((711/167-169.ccls. and (count\$3 near5 (fifo buffer queue cue memory))) and pipelin\$3) and ((available free used)near10 pipeline)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23
14	70	((711/167-169.ccls. and (count\$3 near5 (fifo buffer queue cue memory))) and pipelin\$3) and ((available free used stor\$3)near10 pipeline)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:45
15	861	<pre>count\$3 near5 (signal\$3 communicat\$4) near5 (send\$3 sent transmit\$4 transfer\$4) with (fifo queue cue buffer)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:54
16	55	(710/5,6,33,34,29,52,54,57.ccls. 711/167-169.ccls.) and (count\$3 near5 (signal\$3 communicat\$4) near5 (send\$3 sent transmit\$4 transfer\$4) with (fifo	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:55
-	2	queue cue buffer)) 20020120796.pn.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/09/29 13:04
-	0	09543870.src.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/09/29 13:14
			IBM_TDB	

Search History 3/23/04 10:48:33 AM Page 1

-	0	543870.src.	USPAT;	2003/09/29
			US-PGPUB;	13:13
			EPO;	
1				
	1		DERWENT;	
	1		IBM_TDB	ì
-	2	6496740.pn.	USPAT;	2003/09/29
			US-PGPUB;	13:14
ĺ	1		EPO;]
			DERWENT;	1
			IBM_TDB	
-	13	,	USPAT	2003/09/29
		"5634076" "5678064" "5748945"		13:53
		"5812873" "6092173" "6195724"	}	i l
		"6240458" "6253260" "6260099"		i
		"6272564").PN.		
	2105			
[-	3195	, , , , , , , , , , , , , , , , , , , ,	USPAT	2003/10/01
		(data or value))	ļ	17:42
-	1649	((count or counter) with (current\$3 adj	USPAT	2003/09/29
		(data or value))) and (FIFO or buffer or		14:32
		queue or cue)		
_	264	•	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2002 (00 (55
1 -	264	(((count or counter) with (current\$3 adj	USPAT	2003/09/29
İ		(data or value))) and (FIFO or buffer or		14:41
		queue or cue)) and (count or counter)		
		with ((full or used or empty or		
1	1	available) near3 value)]
1_	106	((((count or counter) with (current\$3 adj	IICDAM	1 2003 (00 (20
1	1 100		USPAT	2003/09/29
	1	(data or value))) and (FIFO or buffer or		16:23
	1	queue or cue)) and (count or counter)		
		with ((full or used or empty or		
	1	available) near3 value)) and fifo		
-	1	4833651.pn.	USPAT	2003/09/29
	1	1033031.pm.	OSFAI	
		57C1735		16:23
-	1	5761735.pn.	USPAT	2003/09/29
1				16:24
-	20	(((US-4833651-\$ or US-5761735-\$ or	USPAT;	2003/09/30
Ì		US-6504824-\$ or US-6501757-\$ or	US-PGPUB;	15:16
		US-6466997-\$ or US-6414689-\$ or	EPO;	
	ļ	US-6401149-\$ or US-6363075-\$ or	DERWENT;	İ
		US-6349372-\$ or US-6330626-\$ or		
i			IBM_TDB	
		US-6327625-\$ or US-6263410-\$ or		İ
		US-6212567-\$ or US-6188699-\$ or		
		US-6115775-\$ or US-6088745-\$ or		ļ į
		US-6081854-\$ or US-6067563-\$ or		
		US-6055285-\$ or US-5999980-\$ or		
		US-5951635-\$ or US-5905905-\$ or		
				1
		US-5860119-\$ or US-5483525-\$ or		
		US-5469398-\$ or US-5008878-\$).did. or		ľ
		(US-20030046475-\$ or		
[i		US-20020159385-\$).did. or		
1		(GB-2297639-\$).did.) and initial\$7) and		İ
		(cancel\$4 or stop\$3 or annul or end\$3)		
1_	ا م	(cancery of prophy of quint of endy)		2002/00/22
-	45	((US-4833651-\$ or US-5761735-\$ or	USPAT;	2003/09/30
]		US-6504824-\$ or US-6501757-\$ or	US-PGPUB;	15:15
]		US-6466997-\$ or US-6414689-\$ or	EPO;	i .
1		US-6401149-\$ or US-6363075-\$ or	DERWENT;	l
		US-6349372-\$ or US-6330626-\$ or	IBM TDB	ŀ
		US-6327625-\$ or US-6263410-\$ or		
i		US-6212567-\$ or US-6188699-\$ or		i
		US-6115775-\$ or US-6088745-\$ or		
		US-6081854-\$ or US-6067563-\$ or		ļ
		US-6055285-\$ or US-5999980-\$ or	İ	1
1		US-5951635-\$ or US-5905905-\$ or		
		US-5860119-\$ or US-5483525-\$ or		I
		US-5469398-\$ or US-5008878-\$).did. or		1
		(US-20030046475-\$ or		
	l	· ·		
		US-20020159385-\$).did. or		
		(GB-2297639-\$).did.) and initial\$7		

		<u> </u>		
-	29	,	USPAT;	2003/09/30
	1	US-6504824-\$ or US-6501757-\$ or	US-PGPUB;	15:13
		US-6466997-\$ or US-6414689-\$ or US-6401149-\$ or US-6363075-\$ or	DERWENT	
		US-6349372-\$ or US-6330626-\$ or		
		US-6327625-\$ or US-6263410-\$ or		
		US-6212567-\$ or US-6188699-\$ or		
		US-6115775-\$ or US-6088745-\$ or		
ļ		US-6081854-\$ or US-6067563-\$ or		
		US-6055285-\$ or US-5999980-\$ or		
		US-5951635-\$ or US-5905905-\$ or US-5860119-\$ or US-5483525-\$ or]
		US-5469398-\$ or US-5008878-\$).did. or		
		(US-20030046475-\$ or		
		US-20020159385-\$).did. or		
		(GB-2297639-\$).did.		
-	345	1 '	USPAT;	2003/09/30
		available or free or unused or "not	US-PGPUB;	09:50
		used")) and fifo same ((current or currently) with (stor\$3 or full or used	JPO; DERWENT;	
	1	or filled))	IBM TDB	
-	2140		USPAT;	2003/09/30
		available or free or unused or "not	US-PGPUB;	09:47
1		used")	JPO;	
			DERWENT;	
1_	ρ	710/54 and (count or counter) with	IBM_TDB USPAT	2002/10/01
	°	(current\$3 adj (data or value))	USPAT	2003/10/01
-	806		USPAT;	2004/03/23
		near5 (send\$3 sent transmit\$4 transfer\$4)	US-PGPUB;	09:54
1	ľ	with (fifo que cue buffer)	EPO;	
-	İ		DERWENT;	
	675	(gountée nouve (gianolée gammuni-tée)	IBM_TDB	2004/02/10
	0,3	<pre>(count\$3 near5 (signal\$3 communicat\$4) near5 (send\$3 sent transmit\$4 transfer\$4)</pre>	USPAT; US-PGPUB;	2004/03/18
		with (fifo que cue buffer)) and (count\$3	EPO;	13.31
		near5 (signal\$3 communicat\$4) near5	DERWENT;	-
		count\$3)	IBM_TDB	
-	660		USPAT;	2004/03/18
		near5 (send\$3 sent transmit\$4 transfer\$4) with (fifo que cue buffer)) and (count\$3	US-PGPUB;	13:51
		near10 count\$3)	EPO; DERWENT;	
1			IBM TDB	
] -	570	(count\$3 near5 (signal\$3 communicat\$4)	USPAT;	2004/03/18
1	1	near5 (send\$3 sent transmit\$4 transfer\$4)	US-PGPUB;	16:07
]	with (fifo que cue buffer)) and (count\$3	EPO;	
		near10 count\$3) with (signal\$3 communicat\$4)	DERWENT;	
_	25	((count\$3 near5 (signal\$3 communicat\$4)	IBM_TDB USPAT;	2004/03/18
		near5 (send\$3 sent transmit\$4 transfer\$4)	US-PGPUB;	13:55
1		with (fifo que cue buffer)) and (count\$3	EPO;	
		near10 count\$3) with (signal\$3	DERWENT;	
		communicat\$4)) and confirm\$7 with (signal\$3 message communicat\$3)	IBM_TDB	
_	344	(signal\$3 message communicat\$3)	USPAT;	2004/03/18
	333		US-PGPUB;	14:33
			EPO;	
			DERWENT;	
]	710/00 22 24 44 50 2	IBM_TDB	
-	38	710/29,33,34,44,52.ccls. and (count\$3	USPAT;	2004/03/22
		near5 (signal\$3 communicat\$4) near5 (send\$3 sent transmit\$4 transfer\$4) with	US-PGPUB; EPO;	16:42
		(fifo que cue buffer))	DERWENT;	
		,	IBM TDB	
-	11	710/57.ccls. and (count\$3 near5 (signal\$3	USPĀT;	2004/03/18
		communicat\$4) near5 (send\$3 sent	US-PGPUB;	14:38
		<pre>transmit\$4 transfer\$4) with (fifo que cue buffer))</pre>	EPO;	
		parrer! }	DERWENT; IBM TDB	

-	2	,	USPAT;	2004/03/18
	ļ	communicat\$4) near5 (send\$3 sent	US-PGPUB;	14:38
		transmit\$4 transfer\$4) with (fifo que cue	EPO;]
		buffer))	DERWENT;	
			IBM_TDB	
-	13	("4040026" "4542457" "4571672"	USPAT	2004/03/18
		"4603382" "4716522" "4933840"	İ	16:01
		"5056010" "5084841" "5224213"		
		"5249271" "5267191" "5278956"		
		"5295246").PN.		
_	95798	(count\$3 near10 count\$3) with (signal\$3	USPAT;	2004/03/18
		communicat\$4)	US-PGPUB;	16:07
			EPO;	
			DERWENT;	
			IBM_TDB	
-	347		USPAT;	2004/03/18
		((count\$3 near10 count\$3) with (signal\$3	US-PGPUB;	16:08
		communicat\$4))	EPO;	
			DERWENT;	
			IBM_TDB	1
-	207		USPAT;	2004/03/18
		((count\$3 near10 count\$3) with (signal\$3	US-PGPUB;	16:10
		communicat\$4))) and count\$3 near5 (fifo	EPO;	
		queue cue buffer)	DERWENT;	
		//710/20 22 24 44 52 54 571	IBM_TDB	2004/02/10
-	84		USPAT;	2004/03/18 16:11
		((count\$3 near10 count\$3) with (signal\$3	US-PGPUB;	16:11
		communicat\$4))) and count\$3 near5 (fifo queue cue buffer)) and (count\$3 near5	EPO; DERWENT;	
		(initiali\$7 predetermined predefined	IBM TDB	
		(initialls / predetermined predefined default))	TEM_IDE	
l _	43	1	USPAT;	2004/03/23
	"3	near5 (signal\$3 communicat\$4) near5	US-PGPUB;	08:58
		(send\$3 sent transmit\$4 transfer\$4) with	EPO;	00.50
		(fifo queue cue buffer))	DERWENT;	!
		\IIIO quoue oue bullel//	IBM TDB	
1_	11	("5764895" "5923654" "6011793"	USPAT	2004/03/22
		"6044061" "6088744" "6249520"		16:44
		"6304578" "6493347" "6516442"		
		"6535510" "6546420").PN.		
		1 2222222 1 2777127 / 27771	1	<u> </u>